# CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD LAHONTAN REGION

### BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

## REVISED WASTE DISCHARGE REQUIREMENTS

FOR

#### LONE PINE CLASS III LANDFILL

Inyo County
-------------

The California Regional Water Quality Control Board, Lahontan Region (Regional Board) finds:

#### 1. Dischargers

On January 19, 1995 the County of Inyo submitted a complete revised Report of Waste Discharge for the Lone Pine Class III Landfill. For the purpose of this Regional Board Order (Order), the County of Inyo and the City of Los Angeles Department of Water and Power (landowner) are referred to as the "Discharger."

# 2. Facility

The Lone Pine Class III Landfill is the facility that receives and stores waste. For the purposes of this Order, the Lone Pine Class III Landfill is referred to as the "Landfill."

# 3. Order History

The Regional Board adopted Board Order No. 6-86-64 on May 15, 1986, which revised the Waste Discharge Requirements (WDRs) for the Landfill. Board Order No. 6-93-10017 was adopted on September 9, 1993, and amended the WDRs to incorporate the requirements of Title 40, Code of Federal Regulations, Parts 257 and 258 (Subtitle D) as implemented in the State of California under State Water Resources Control Board (SWRCB) Resolution No. 93-62.

#### 4. Reason for Action

The Regional Board is revising these WDRs to require the Discharger to achieve compliance with the revised requirements of Article 5, Chapter 15, Title 23, California Code of Regulations (Chapter 15) and to incorporate requirements of the previously adopted Board Order amendment No. 6-93-10017. The amendment was adopted to implement the Subtitle D regulations in accordance with SWRCB Resolution No. 93-62.

### -2- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

### 5. Time Schedules

Board Order No. 6-93-10017 contained a time schedule for the Discharger to comply with Subtitle D and Chapter 15. The time schedule extends until August 1995. Specific elements of the time schedule are past due. The Discharger has submitted an alternative time schedule which is reasonable based on the physical and financial constraints of the Discharger. The alternative time schedule extends until July 1996. The submitted time schedule demonstrates a commitment by the Discharger toward compliance with Chapter 15 and Subtitle D and improvement of the operations of the Landfill. This Order documents the time schedule submitted by the Discharger. The Regional Board intends to take formal enforcement action in the case of non-compliance with the time schedule contained in this Order.

## 6. Landfill Location

The Landfill is located approximately two miles southeast of the Community of Lone Pine, Inyo County, within the SE/4, SW/4, Section 26, T15S, R36E, MDB&B, as shown on Attachment "A," which is made part of this Order.

# 7. Description of Landfill

The Landfill is an unlined landfill which receives approximately six tons of waste per day. Based on the quantity of waste received per day, the Landfill is a Small landfill as defined in Subtitle D. As such, Subtitle D requirements became effective for this Landfill on April 9, 1994. Regional Board staff have reviewed information submitted by the Discharger which illustrates the footprint of waste discharged as of April 9, 1994. The footprint documents the limits of waste which are exempt from Subtitle D requirements for composite liners, and is shown as Attachment "B", which is made a part of this Order.

# 8. Authorized Disposal Sites

The footprint of waste shown in Attachment "B" is the only authorized disposal site. A revised Report of Waste Discharge is required if the Discharger proposes to discharge waste outside the footprint area.

#### 9. Waste Classification

The Landfill receives waste derived from the Community of Lone Pine and nearby communities. The waste is defined in Sections 2523 and 2524 of Chapter 15, Title 23, California Code of Regulations, as inert and non-hazardous solid waste, respectively. The waste is defined as municipal solid waste in Subtitle D.

# 10. Waste Management Unit Classification

Pursuant to Section 2533, Chapter 15, Title 23, California Code of Regulations, the Landfill is classified as a Class III waste management unit. The Landfill is classified as a Small Landfill in Subtitle D.

# LONE PINE CLASS III LANDFILL Inyo County

# -4- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

## 15. Evaluation Monitoring

An evaluation monitoring program may be required, pursuant to Section 2550.9 of Chapter 15, Title 23, California Code of Regulations, to evaluate evidence of a release if detection monitoring and/or verification procedures indicate evidence of a release.

#### 16. Corrective Action

A corrective action program (CAP) to remediate released wastes from the Landfill may be required pursuant to Section 2550.10 should results of an evaluation monitoring program warrant a CAP.

# 17. Site Geology

The Landfill is located on a shallow alluvial floodplain of gravel, sand, silt, and clay which slopes east toward the Owens River. Sections of sandy clay four to five feet thick are noted in the stratigraphic profile of shallow soils at the site.

## 18. Site Hydrogeology

Depth to ground water is approximately 30 feet below ground surface at the Landfill. Ground water beneath the Landfill flows east toward the Owens River at a gradient of approximately 40 feet per mile.

# 19. Site Surface Hydrology and Storm Water Runoff

There is no perennial surface water flow at the Landfill. Surface water during storm events flows from the Landfill toward the Owens River, which is approximately 1/4 mile to the east. All storm water from the Landfill is regulated under the state Amended General Industrial Activities Storm Water Permit.

# 20. Site Topography

Site topography is shown on Attachment "C", which is made a part of this Order.

# 21. Climatology

The precipitation in the area of the Landfill is approximately 4.5 inches annually. The evaporation rate is approximately 80 inches annually.

# -5- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

# 22. Land Uses

The land uses at and surrounding the Landfill consists of the following:

- a. various maintained residences and commercial buildings in the Community of Lone Pine:
- b. open desert land;
- c. riparian and wildlife habitat of the Owens River; and,
- d. agricultural uses.

## 23. Closure and Post-Closure Maintenance

The Discharger has not submitted a Preliminary Closure and Post-Closure Monitoring Plan (CPCMP). This Order includes a time schedule which requires that the Discharger submit a CPCMP.

This Order also requires that the Discharger review the plan annually to determine if significant changes in the operation of the Landfill warrant an update of the plan.

#### 24. Financial Assurance

The Discharger has not provided financial assurance for site closure or potential future corrective action at the Landfill as required by Chapter 15. This Order includes a time schedule for the Discharger to provide financial assurance to the Integrated Waste Management Board (IWMB) for closure and the Regional Board for potential corrective action requirements. The Regional Board can access the closure financial assurance provided to the IWMB. The IWMB does not require financial assurance for potential releases.

## 25. Receiving Waters

The receiving waters are the ground waters of the Owens Valley Ground Water Basin (Department of Water Resources Hydrologic Unit No. 6-12).

#### 26. Lahontan Basin Plan

The Regional Board adopted a Water Quality Control Plan for the Lahontan Region (Basin Plan) which became effective on March 31, 1995. This Order implements the Basin Plan.

# -6- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

#### 27. Beneficial Ground Water Uses

The present and probable beneficial uses of the ground waters of the Lower Owens Subunit of the Owens Valley Ground Water Basin as set forth and defined in the Basin Plan are:

- a. municipal and domestic supply;
- b. agricultural supply;
- c. industrial service supply;
- d. freshwater replenishment; and
- e. wildlife.

## 28. California Environmental Quality Act

These WDRs govern an existing facility that the Discharger is currently operating. The project consists only of the continued operation of the Landfill and is therefore exempt from the provisions of the California Environmental Quality Act (CEQA) (Public Resources Code Section 21000 et seq.) in accordance with Section 15301 of the CEQA Guidelines.

### 29. Notification of Interested Parties

The Regional Board has notified the Discharger and all known interested agencies and persons of its intent to adopt revised WDRs for the project.

#### 30. Consideration of Interested Parties

The Regional Board, in a public meeting, heard and considered all comments pertaining to the discharge.

IT IS HEREBY ORDERED that the Discharger shall comply with the following:

#### I. <u>DISCHARGE SPECIFICATIONS</u>

#### A. Receiving Water Limitations

The discharge of waste shall not cause the presence of the following substances or conditions in ground waters of the Owens Valley Ground Water Basin:

- 1. any perceptible color, odor, taste, or foaming;
- 2. any presence of toxic substances in concentrations that individually, collectively, or cumulatively cause detrimental physiological response in humans, plants, animals, or aquatic life; and
- 3. the presence of constituents of concern in concentrations that exceed background levels.

# -7- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

# II. REQUIREMENTS AND PROHIBITIONS

### A. General

- 1. The discharge shall not cause a pollution as defined in Section 13050 of the California Water Code, or a threatened pollution.
- 2. The discharge shall not cause a nuisance as defined in Section 13050 of the California Water Code.
- 3. The discharge of solid wastes, leachate, or any other deleterious material to the ground waters of the Owens Valley Ground Water Basin is prohibited.
- 4. The discharge of waste except to the authorized disposal site is prohibited.
- 5. The disposal sites shall be protected from inundation, washout, or erosion of wastes and erosion of covering materials resulting from a storm or a flood having recurrence interval of once in 100 years.
- 6. Surface drainage from tributary areas, and internal site drainage from surface or subsurface sources shall not contact or percolate through solid wastes discharged at the site.
- 7. The exterior surfaces of the disposal sites shall be graded to promote lateral runoff of precipitation and to prevent ponding.
- 8. Water used for dust control during disposal site operations shall be limited to a minimal amount. A "minimal amount" is defined as that amount which will not result in runoff.
- 9. Wastes other than inert wastes shall not be placed in ponded water from any source whatsoever.
- 10. No hazardous or designated wastes shall be discharged at the disposal sites.
- 11. The discharge of wastes in a manner that does not maintain a five foot soil separation between the wastes and the seasonal high ground water elevation is prohibited.
- 12. Waste discharged to the Landfill shall have a solids content of 50 percent or greater.

# -8- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

- 13. The Discharger shall remove and relocate any waste which is or has been discharged at the disposal sites in violation of these requirements. The waste shall be relocated to a file which is permitted to receive such wastes. All removal and relocation projects shall be coordinated with regulatory agencies, including the County of Inyo.
- 14. During periods of precipitation, the disposal activity shall be confined to the smallest area possible based on the anticipated quantity of wastes and operation procedures.
- 15. At closure, all facilities must be closed in accordance with a final CPCMP approved by the Regional Board.
- 16. At any given time, the concentration limit for each constituent of concern shall be equal to the background value of that constituent.
- 17. The concentration limits for each constituent of concern shall not be exceeded.

## B. <u>Detection Monitoring Program</u>

The Discharger shall maintain a detection monitoring program as required in Section 2550.1(a)(1) of Chapter 15. This Order includes a time schedule for the Discharger to initiate consistent semi-annual ground water monitoring in accordance with an approved Detection Monitoring Program.

# C. Evaluation Monitoring Program

The Discharger shall establish an evaluation monitoring program whenever there is statistically significant evidence of a release from the Landfill as required in Section 2550.1(a)(2) or (3) of Chapter 15.

# D. Corrective Action Program

The Discharger shall institute a CAP when required pursuant to Section 2550.1(a)(4) of Chapter 15.

#### III. DATA ANALYSIS

#### A. Statistical Analysis

Statistical analysis of ground water and unsaturated zone detection monitoring program data shall be conducted. Analysis shall be conducted in accordance with statistical methods detailed in Monitoring and Reporting Program No. 95-70.

# -9- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

## B. Nonstatistical Analysis

The Discharger shall determine whether there is significant physical evidence of a release from the Landfill. Significant physical evidence may include unexplained volumetric changes in the Landfill, unexplained stress in biological communities, unexplained changes in soil characteristics, visible signs of leachate migration, and unexplained water table mounding beneath or adjacent to the Landfill, or any other change in the environment that could be reasonably be expected to be the result of a release from the Landfill.

#### C. Verification Procedures

- 1. The Discharger shall immediately initiate verification procedures as specified below whenever there is a determination by the Discharger or Executive Officer that there is statistical or non-statistical evidence of a release. If the Discharger declines the opportunity to conduct verification procedures, the Discharger shall submit a technical report as described below under the heading Technical Report Without Verification Procedures.
- 2. The verification procedure shall only be performed for the constituent(s) that has shown evidence of a release, and shall be performed for those monitoring points at which a release is indicated.
- 3. The Discharger shall either conduct a composite retest using data from the initial sampling event with all data obtained from the resampling event or shall conduct a discrete retest in which only data obtained from the resampling event shall be analyzed in order to verify evidence of a release.
- 4. The Discharger shall report to the Regional Board by certified mail the results of the verification procedure, as well as all concentration data collected for use in the retest within seven days of the last laboratory analysis.
- 5. The Discharger shall determine, within 45 days after completion of sampling, whether there is statistically significant evidence of a release from the Landfill at each monitoring point. If there is statistically significant evidence of a release, the Discharger shall immediately notify the Regional Board by certified mail. The Executive Officer may make an independent finding that there is statistical evidence of a release.
- 6. If the Discharger or Executive Officer verifies evidence of a release, the Discharger is required to submit, within 90 days of a determination that there is or was a release, a technical report pursuant to Section 13267(b) of the California Water Code. The report shall propose an evaluation monitoring OR make a demonstration to the Regional Board that there is a source other than the Landfill that caused evidence of a release.

# -10- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

# D. Technical Report Without Verification Procedures

If the Discharger chooses not to initiate verification procedures, a technical report shall be submitted pursuant to Section 13267(b) of the California Water Code. The report shall propose an evaluation monitoring program, OR, attempt to demonstrate that the release did not originate from the Landfill.

#### IV. PROVISIONS

### A. Rescission of Waste Discharge Requirements

Board Order No. 6-86-64 and Board Order No. 6-93-10017 are hereby rescinded.

#### B. Standard Provisions

The Discharger shall comply with the "Standard Provisions for Waste Discharge Requirements," dated September 1, 1994, in Attachment "C", which is made part of this Order.

# C. Monitoring and Reporting

- 1. Pursuant to the California Water Code Section 13267(b), the Discharger shall comply with the Monitoring and Reporting Program No. 95-70 as specified by the Executive Officer.
- 2. The Discharger shall comply with the "General Provisions for Monitoring and Reporting," dated September 1, 1994, which is attached to and made part of the Monitoring and Reporting Program.

### D. Closure and Post-Closure Monitoring

The preliminary CPCMP shall be updated if there is a substantial change in operations. A report shall be submitted annually indicating conformance with existing operations. To comply with Chapter 15, a final CPCMP shall be submitted at least 180 days prior to beginning any partial or final closure activities or at least 120 days prior to discontinuing the use of the site for waste treatment, storage or disposal, whichever is greater. The California Integrated Waste Management Board, pursuant to Title 14, California Code of Regulations, requires the submittal of a final closure plan a minimum of two years prior to closure.

#### -11- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

#### E. Financial Assurance

The Discharger shall submit a report annually providing evidence that adequate financial assurance pursuant to the requirements of the WDRs has been provided for closure and for potential releases. Evidence shall include the total amount of money available in the fund developed by the Discharger. In addition, the Discharger shall either provide evidence that the amount of financial assurance is still adequate or increase the amount of financial assurance by the appropriate amount. An increase may be necessary due to inflation, a change in regulatory requirements, a change in the approved closure plan, or other unforeseen events.

## F. Modifications to the Landfill

If the Discharger intends to expand the capacity of the Landfill, a report shall be filed no later than 90 days after the total quantity of waste discharged at this site equals 75 percent of the reported capacity of the site. The report shall contain a detailed plan for site expansion. This plan shall include, but is not limited to a time schedule for studies design, and other steps needed to provide additional capacity. If site expansion is not undertaken prior to the site reaching the reported capacity, the total quantity discharged shall be limited to the reported capacity.

# V. TIME SCHEDULE

#### A. Water Quality Protection Standard

By March 1, 1996, the Discharger shall submit a technical report which proposes concentration limits for all monitoring parameters and constituents of concern listed in Monitoring and Reporting Program No. 95-70.

#### B. Statistical Methods

By March 1, 1996, the Discharger shall submit a technical report which proposes site-specific statistical methods to be used for monitoring data analysis.

# C. Detection Monitoring Program

By June 1, 1996, the Discharger shall begin submitting semi-annual detection monitoring reports which include laboratory analytical data for all monitoring parameters listed in the attached Monitoring and Reporting Program, and statistical analysis of all ground water monitoring data.

# D. Preliminary Closure and Post-Closure Monitoring Plan

By July 1, 1995, the Discharger shall submit a Preliminary CPCMP accordance with Chapter 15, Title 14, and Subtitle D.

-12- BOARD ORDER NO. 6-95-70 WDID NO. 6B140300006

# E. Financial Assurance

By <u>December 31, 1995</u>, the Discharger shall submit financial assurance for closure and potential future corrective action requirements.

I, Harold J. Singer, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by California Regional Water Quality Control Board, Lahontan Region, on June 8, 1995.


HAROLD J. SINGER EXECUTIVE OFFICER

Attachments:

A. Location Map

B. Landfill Footprint of Waste

C. Standard Provisions for Waste Discharge Requirements



Consuming Engineers & Geologists
245 So. Cascade Ave. Montrose, Colo. 81401 303-249-6829